

ERSATZTEILE


Pièces de rechange - Onderdelen - Reservedele - Varaosat - Pezzi di ricambio
Reservedelen - Peças - Reservdelar - Piezas de recambio

SPARE PARTS

GIS CHAIN HOIST



 SWISS QUALITY

LCH 1600
LCH 2000
LCH 2500





M A D E I N S W I T Z E R L A N D





		LCH 1600	LCH 2000	LCH 2500
500	230/42V 50/60Hz	9056.4500.4	9056.4500.4	9056.4500.4
	400/42V 50/60Hz	9056.4501.4	9056.4501.4	9056.4501.4
501	M25 x 1.5	9055.3103	9055.3103	9055.3103
502	M25 x 1.5	9055.4013	9055.4013	9055.4013
503	M16 x 90	9408.3015.4	9408.3015.4	9408.3015.4
504	166 x 210	9408.3070.3	9408.3070.3	9408.3070.3
506	345 x 304.5 x 251.5	9408.3000.0	9408.3000.0	9408.3000.0
507	186 x 169.94 x 20	9408.3019.3	9408.3019.3	9408.3019.3
508	NJ205, 25/52 x 15	0038.1824	0038.1824	0038.1824
509	ø58.81 x 108 z=12	9408.3027.4	9408.3027.4	
	ø51.2 x 108 z=10			9408.3028.4
510	6307, 35/80 x 21	9038.0022	9038.0022	9038.0022
511	8 x 9 x 21.63	9036.0601	9036.0601	9036.0601
512	ø125.42 z=57	9408.3026.3	9408.3026.3	9408.3026.3
513	A 35 x 1.5	0031.1020	0031.1020	0031.1020
514	345 x 230 x 95	9408.3071.2	9408.3071.2	9408.3071.2
515	M6 x 40, In-6kt	9030.0279	9030.0279	9030.0279
516	M6, Polyamid	9031.3704	9031.3704	9031.3704
517	M8 x 35	9030.0289	9030.0289	9030.0289
518	M8	9031.3904	9031.3904	9031.3904
519	M8 x 25	9030.0287	9030.0287	9030.0287
520	A 25 x 1.2	0031.1016	0031.1016	0031.1016
521	ø115.92 z=78, -N/-NF	9408.3023.3	9408.3023.3	9408.3023.3
	ø109.5 z=73, -SF	9408.3024.3	9408.3024.3	9408.3024.3
522	1 52 x 2	9031.2206	9031.2206	9031.2206
523	6 x 7.5 x 18.75	9036.0600	9036.0600	9036.0600
524	6205, 25/52 x 15	9038.0019	9038.0019	9038.0019
525	ø33.67 x 74 z=13	9408.3025.4	9408.3025.4	9408.3025.4
526	6005, 25/47 x 12	0038.1036	0038.1036	0038.1036
527	10 x 13 x 31.43	9036.0603	9036.0603	9036.0603
528	213 x 164 x 62.5	9408.3002.1	9408.3002.1	9408.3002.1
529	1 110 x 4	0031.1137	0031.1137	0031.1137
530	347 x 232 x 6	9408.3003.3	9408.3003.3	9408.3003.3
531	140 x 70 x 49	9408.3011.3	9408.3011.3	9408.3011.3
532	A 60 x 2	0031.1028	0031.1028	0031.1028
533	ø143.86 z=34	9408.3029.3	9408.3029.3	
	ø151.47 z=36			9408.3030.3
534	ø95 x 2.5	9035.0017	9035.0017	9035.0017
535	ø97 x 140, 5T	9408.3031.2		
	ø101 x 140, 5T		9408.3032.2	9408.3032.2
536	6012 2RS, 60/95 x 18	0038.1085	0038.1085	0038.1085
537	6212 2RS, 60/110 x 22	9038.0024	9038.0024	9038.0024
538	9 x 27	9039.0024		
	10 x 28		9039.0025	9039.0025
539	140 x 85 x 49	9408.3012.3	9408.3014.3	9408.3014.3
540	260 x 83 x 86	9408.3104.3	9408.3041.4	9408.3041.4
541	314 x 32.7 x 5 (9/10 mm)	9041.6024	9041.6024	9041.6024
542	M6	9031.3903	9031.3903	9031.3903
543	M6 x 40/24	9030.0279	9030.0279	9030.0279
544	M8 x 80	9030.0309	9030.0309	9030.0309
545	0.25 l	9041.0007	9041.0007	9041.0007
546	DIN 916 M6 x 16	9030.2013	9030.2013	9030.2013
547	M20 x 1.5	9055.3512	9055.3512	9055.3512
548	ø47 x 2.5	9035.0015	9035.0015	9035.0015
549	M25 x 1.5	9055.3513	9055.3513	9055.3513
550	1-t ø79.4 x 90, 8 m/min	9408.3145.3	9408.3145.3	9408.3145.3
	1-t ø79.4 x 90, 12.5 m/min	9408.3116.3	9408.3116.3	9408.3116.3
	2-t ø79.2 x 130, 8/2 m/min	9408.3146.3	9408.3146.3	9408.3146.3
	2-t ø79.2 x 130, 12.5/3.5 m/min	9408.3147.3	9408.3147.3	9408.3147.3
551	ø4 x 75	9230.3097.4	9230.3097.4	9230.3097.4
552	L=90, 3Ph 230/400V 50Hz, -N	9407.0100.3	9407.0100.3	9407.0100.3
	L=90, 3Ph 230/400V 50Hz, -NL/-SL	9407.0200.3	9407.0200.3	9407.0200.3
	L=130, 3Ph 400V 50Hz, -NF/-SF	9407.0400.3	9407.0400.3	9407.0400.3
553	ø156 x 52.5	9405.3232.2	9405.3232.2	9405.3232.2
554	M6 x 25	9030.0276	9030.0276	9030.0276
555	20 Nm 100-125 VAC	9050.4062	9050.4062	9050.4062
	20 Nm 200-240 VAC	9050.4063	9050.4063	9050.4063
	20 Nm 360-420 VAC	9050.4064	9050.4064	9050.4064
	20 Nm 440-480 VAC	9050.4065	9050.4065	9050.4065
	20 Nm 500-575 VAC	9050.4066	9050.4066	9050.4066
	20 Nm 690 VAC	9050.4067	9050.4067	9050.4067
555a	ø128 x 11.8	9405.3286.4	9405.3286.4	9405.3286.4
556	M6 x 65/24	9030.0011	9030.0011	9030.0011
557	119 x 103.5, kompl.	9401.3015.3	9401.3015.3	9401.3015.3
	119 x 103.5, NA kompl.	9401.3018.3	9401.3018.3	9401.3018.3
558	M5 x 12	0030.3468	0030.3468	0030.3468
559	1.6A	9052.0012	9052.0012	9052.0012
560	1-t NA 100-480/42V	9402.1550.2	9402.1550.2	9402.1550.2
	1-t NA 500-690/42V UL	9402.1551.2	9402.1551.2	9402.1551.2
	2-t NA 100-480/42V	9402.1650.2	9402.1650.2	9402.1650.2
	2-t NA 500-690/42V UL	9402.1651.2	9402.1651.2	9402.1651.2
	WAGO 100-480V	9402.1260.4	9402.1260.4	9402.1260.4
	WAGO 100-480V PMS	9402.1264.3	9402.1264.3	9402.1264.3
561	148 x 53 x 26	9405.3059.4	9405.3059.4	9405.3059.4
		</		

		LCH 1600	LCH 2000	LCH 2500
600	2K NA 3 m	9290.1086.3	9290.1086.3	9290.1086.3
602	2K NA 4 m	9290.1087.3	9290.1087.3	9290.1087.3
	2K NA 5 m	9290.1088.3	9290.1088.3	9290.1088.3
	2K NA 6 m	9290.1089.3	9290.1089.3	9290.1089.3
	2K NA 8 m	9290.1090.3	9290.1090.3	9290.1090.3
	2K NA 10 m	9290.1091.3	9290.1091.3	9290.1091.3
	2K NA 12 m	9290.1092.3	9290.1092.3	9290.1092.3
	2K NA 15 m	9290.1093.3	9290.1093.3	9290.1093.3
	2K NA 20 m	9290.1094.3	9290.1094.3	9290.1094.3
601	L=50	9031.8004	9031.8004	9031.8004
602	M20 x 1.5	9055.3102	9055.3102	9055.3102
603	5 x 0.75 mm², L=	9055.0110	9055.0110	9055.0110
604	2K NA	9290.1084.3	9290.1084.3	9290.1084.3
620	1-t ø79.4 x 90	9405.3035.3	9405.3035.3	9405.3035.3
	2-t ø79.2 x 130	9405.3037.3	9405.3037.3	9405.3037.3
621	25/29 x 17	9038.0261	9038.0261	9038.0261
622	ø50 x 6.5	9405.3021.4	9405.3021.4	9405.3021.4
623	ø50 x 3	9405.3013.4	9405.3013.4	9405.3013.4
624	A 25 x 1.2	0031.1016	0031.1016	0031.1016
625	ø19.5 x 2.5	9035.0024	9035.0024	9035.0024
626	6005 LLUA, 25/47 x 12	9038.0005	9038.0005	9038.0005
627	A 30 x 1.5	0031.1018	0031.1018	0031.1018
628	6206 2RS, 30/62 x 16	0038.1149	0038.1149	0038.1149
629	ø48/31 x 0.2	9405.3251.4	9405.3251.4	9405.3251.4
630	ø49/39 x 5	9221.3177.4	9221.3177.4	9221.3177.4
631	ø48/37.5 x 0.4	9405.3043.4	9405.3043.4	9405.3043.4
632	ø6 x 40	9031.5857	9031.5857	9031.5857
633	ø37 x 350, -N/-NF	9408.3142.3	9408.3142.3	9408.3142.3
	ø37 x 351, -SF	9408.3143.3	9408.3143.3	9408.3143.3
638	ø19 x 3	9405.3230.4	9405.3230.4	9405.3230.4
639	ø20/10 x 25	9034.1010	9034.1010	9034.1010
640	ø18 x 48.5	9405.3231.4	9405.3231.4	9405.3231.4
641	M12 x 30	9030.2017	9030.2017	9030.2017
642	M12	0031.0040	0031.0040	0031.0040
643	ø16/22 x 2	9031.3205	9031.3205	9031.3205
644	I 22 x 1	9031.2222	9031.2222	9031.2222
645	ø22/M12 x 7.7	9405.3311.4	9405.3311.4	9405.3311.4
650	1600/9, 2000/8, 2500/8, XS	9408.3185.3	9408.3185.3	9408.3185.3
	1600/19, 2000/14, 2500/14, S	9408.3186.3	9408.3186.3	9408.3186.3
	1600/26, 2000/19, 2500/19, M	9408.3187.3	9408.3187.3	9408.3187.3
	1600/47, 2000/36, 2500/36, XL	9408.3188.3	9408.3188.3	9408.3188.3
651	M8 x 100/28	9030.0319	9030.0319	9030.0319
652	149.5 x 180.5 x 126.5	9408.3183.2	9408.3183.2	9408.3183.2
653	75 x 57 x 55	9235.3111.3	9235.3111.3	9235.3111.3
654	M8, Nylon	9031.1277	9031.1277	9031.1277
660	209 x 127.71	9408.3161.4	9408.3161.4	9408.3161.4
661	ø47 x 23.7	9235.3107.4	9235.3107.4	9235.3107.4
662	ø47/30 x 1	0038.3128	0038.3128	0038.3128
663	ø47/30 x 2	9038.0252	9038.0252	9038.0252
664	ø47/30 x 3	9038.1750	9038.1750	9038.1750
665	s=2.0	9220.3482.4	9220.3482.4	9220.3482.4
666	66 x 44 x 34	9408.3005.3	9408.3005.3	9408.3005.3
667	0.4 t	9220.3470.4		
	0.5 t	9220.3471.4	9220.3471.4	
	0.63 t	9220.3472.4	9220.3472.4	9220.3472.4
	0.8 t	9220.3473.4	9220.3473.4	9220.3473.4
	1 t	9220.3474.4	9220.3474.4	9220.3474.4
	1.25 t	9220.3475.4	9220.3475.4	9220.3475.4
	1.6 t	9220.3476.4	9220.3476.4	9220.3476.4
	2 t	9221.3412.4	9221.3412.4	9221.3412.4
	2.5 t	9230.3226.4	9230.3226.4	9230.3226.4
	3.2 t	9230.3227.4	9230.3227.4	9230.3227.4
	4.0 t		9231.3196.4	9231.3196.4
	5.0 t			9235.3064.4
668	3 x 5	9031.6604	9031.6604	9031.6604
670	140 x 96 x 181.5	9408.3062.1	9408.3063.1	9408.3063.1
671	ø88 x 76	9230.3059.4		
	ø90 x 80		9231.3059.4	9231.3059.4
672	80 x 80 x 100	9408.3061.3	9408.3061.3	9408.3061.3
673	ø10 x 40	9235.3108.4	9235.3108.4	9235.3108.4
680	ø47 x 95	9408.3118.4		
	ø47 x 107		9408.3120.4	9408.3120.4
681	ø35 x 95	9408.3117.4		
	ø45 x 107		9408.3119.4	9408.3119.4
682	198 x 108.6 x 35, A602	9405.3208.4		
	247 x 138.1 x 43, A603		9408.3130.4	9408.3130.4
			</	



		LCH 1600	LCH 2000	LCH 2500
700	32 x 22.5 x 6	9058.0041	9058.0041	9058.0041
701	PMEA 500-S, 100-480V	9400.3181.4	9400.3181.4	9400.3181.4
702	M3 x 8	9030.8030	9030.8030	9030.8030
703	ø130 x 9	9405.3248.4	9405.3248.4	9405.3248.4
704	M6 x 16	9030.1801	9030.1801	9030.1801
705	20 Nm 200-240 VAC	9050.4063	9050.4063	9050.4063
	20 Nm 360-420 VAC	9050.4064	9050.4064	9050.4064
706	ø10/6.2 x 3	9405.3260.4	9405.3260.4	9405.3260.4
707	M6 x 60	9030.0282	9030.0282	9030.0282
708	347 x 232 x 6	9408.3003.3	9408.3003.3	9408.3003.3
709	345 x 230 x 95	9408.3007.3	9408.3007.3	9408.3007.3
710	345 x 230 x 95	9408.3071.2	9408.3071.2	9408.3071.2
711	M6 x 130/32	9030.0019	9030.0019	9030.0019
713	ø8 x 60	9031.5861	9031.5861	9031.5861
717	6kt, ø36 x 51.7	9405.3309.4	9405.3309.4	9405.3309.4
718	M12 x 61	9405.3310.4	9405.3310.4	9405.3310.4
719	M8	0031.0008	0031.0008	0031.0008
720	M8 x 35	9030.2018	9030.2018	9030.2018

		LCH 1600	LCH 2000	LCH 2500
800	M5 x 25	9030.3259	9030.3259	9030.3259
801	ø8/1.25 x 8	9401.3070.4	9401.3070.4	9401.3070.4
802	282 x 178 x 70	9408.3050.2	9408.3050.2	9408.3050.2
803	ø30 x 125, 0-10V	9408.3048.4	9408.3048.4	9408.3048.4
804	176.5 x 178 x 70	9408.3049.2	9408.3049.2	9408.3049.2
805	M16 x 1.5	9055.3120	9055.3120	9055.3120
806	M16 x 1.5	9055.4011	9055.4011	9055.4011
807	ø10 x 36	9401.3072.4	9401.3072.4	9401.3072.4
808	M3	0031.0034	0031.0034	0031.0034
809	M3 x 18	9030.9134	9030.9134	9030.9134
810	119 x 103.5, kompl.	9401.3015.3	9401.3015.3	9401.3015.3
	119 x 103.5, NA kompl.	9401.3018.3	9401.3018.3	9401.3018.3
811	ICH510-060-R33-1000	9053.0009	9053.0009	9053.0009
812	119 x 59.75 x 16	9401.3069.4	9401.3069.4	9401.3069.4
813	ø9/1.5 x 27.5	9401.3075.4	9401.3075.4	9401.3075.4
814	M5	9031.3902	9031.3902	9031.3902
815	M5 x 50/22	9030.0270	9030.0270	9030.0270
816	347 x 232 x 6	9408.3003.3	9408.3003.3	9408.3003.3
817	345 x 230 x 95	9408.3007.3	9408.3007.3	9408.3007.3
818	345 x 230 x 95	9408.3071.2	9408.3071.2	9408.3071.2
819	M6 x 130/32	9030.0019	9030.0019	9030.0019